AMENDMENTS TO THE CLAIMS

Claim 1-5 (Canceled)

Claim 6 (Currently Amended)   An apparatus comprising a machine-readable medium containing instructions which, when executed by a machine, cause the machine to perform operations comprising:

assigning a first register class to at least one symbolic register in at least one instruction;

assigning a second register class to the at least one symbolic register through conjunctive forward dataflow analysis;

reducing register class fixups for the assignment of the second register class; and

renaming the at least one symbolic register,

wherein each instruction includes assignment of one of the first register class assigned and the second register class assigned.

Claim 7 (Original)   The apparatus of claim 6, said assigning the first register class instruction is an initial assignment.

Claim 8 (Currently Amended)   The apparatus of claim 6, said assigning the second register class further including instructions which, when executed by a machine, cause the machine to perform operations including:

marking a register class assignment map that operates to track register class assignments at a block entry of a compilation unit;

marking a-the register class assignment map at a block exit of the compilation unit;

determining a-the register class assignment map at an entry of a instruction in a block; and

determining a-the register class assignment map at an exit of a instruction in the block.

Claim 9 (Currently Amended)   The apparatus of claim 6, said reducing register class fixups further including instructions which, when executed by a machine, cause the machine to perform operations including:

> hoisting register class fixups;
>
> sinking the register class fixups; and
>
> removing ~~unnecessary~~ the register class fixups that are unnecessary.

Claim 10 (Currently Amended)   The apparatus of claim 9, said removing ~~unnecessary~~ the register class fixups that are unnecessary further including instructions which, when executed by a machine, cause the machine to perform operations including removing dead code.

Claim 11 (Currently Amended)   A system comprising:

a processor having at least one register; and

a compiler coupled to the processor executing in a host device that inputs a source program having a plurality of operation blocks,

wherein the compiler assigns a first register class in at least one instruction to the at least one symbolic register, and assigns a second register class through conjunctive forward dataflow analysis to the at least one symbolic register, reduces register class fixups for the assignment of the second register class, and renames the at least one symbolic register,

wherein each instruction includes assignment of one of the first register class assigned and the second register class assigned.

Claim 12 (Original)   The system of claim 11, wherein the first register class assigned is an initially assigned register class.

Claim 13 (Currently Amended)   The system of claim 11, wherein the second register class assigned includes:

> marking a register class assignment map that operates to track register class assignments at a block entry of a compilation unit;

marking a the register class assignment map at a block exit of the compilation unit;

determining a the register class assignment map at an entry of a instruction in a block; and

determining a the register class assignment map at an exit of a instruction in the block.

Claim 14 (Currently Amended)   The system of claim 11, said reduction of register class fixups includes:

hoisting register class fixups;

sinking the register class fixups; and

removing unnecessary the register class fixups that are unnecessary.

Claim 15 (Currently Amended)   The system of claim 14, said removing the unnecessary register class fixups that are unnecessary includes removing dead code.

Claim 16 (Currently Amended)   A computer comprising:

at least one processor having at least one register coupled to a first memory and a second memory;

at least one user input device coupled to the processor;

a monitor coupled to the processor, and

a compiler executing in the processor that inputs a source program having a plurality of operation blocks,

wherein the compiler assigns a first register class in at least one instruction to the at least one register, assigns a second register class through conjunctive forward dataflow analysis to the at least one register, reduces register class fixups for the assignment of the second register class, and renames the at least one register,

wherein each instruction includes assignment of one of the first register class assigned and the second register class assigned.

Claim 17 (Original)   The computer of claim 16, wherein the first register class assigned is an initially assigned register class.

Claim 18 (Currently Amended)   The computer of claim 16, wherein the second register class assigned includes:

marking a register class assignment map that operates to track register class assignments at a block entry of a compilation unit;

marking a the register class assignment map at a block exit of the compilation unit;

determining a the register class assignment map at an entry of a instruction in a block; and

determining a the register class assignment map at an exit of a instruction in the block.

Claim 19 (Currently Amended)   The computer of claim 16, said reduction of register class fixups includes:

hoisting register class fixups;

sinking the register class fixups; and

removing unnecessary the register class fixups that are unnecessary.

Claim 20 (Currently Amended)   The system computer of claim 19, said removing unnecessary the register class fixups that are unnecessary includes removing dead code.